



GRIDDLES

BRATPLATTEN



PROFESSIONAL AND LOW-COST
PROFESSIONELL UND WIRTSCHAFTLICH



**NOVO-CROM SERIES - NOVO-SNACK SERIES - NOVA ENAMELLED SERIES -
WITH GRILLE - LOW-COST SERIES - WITH GRILL**

PROFESSIONAL LINE



NC-60

NCEM-80

NOVO-CROM

Gas (NC) - Electric(NCEM) - Semi-ribbed(NCR) - With burner(NCF)

- Hard chrome hotplate 15 mm thick - Collector drawer set in the front (Model NC-100/NCR-100: 2 drawers)

🔥 Piezoelectric ignition - Thermostatic safety valves with thermocouple.

⚡ Stainless steel heating elements - Thermostats with ignition switch

- Platte aus Hartchrom, Stärke 15 mm - Fettauffangschublade im Frontbereich (Modell NC-100/NCR-100: 2 Schubladen)

🔥 Piezozündung - Sicherheitsthermostatventile mit Thermoelement.

⚡ Heizstäbe aus Edelstahl - Thermostate mit Zündschalter

Single-phase
230 V



Models	Outside measurements	Useful surface	Ribbed surface	Kw burner	Kg	m ³	Kw	Kcal/h	€
NC-40	40x44x22h	39x43	-	-	28	0.06	4.1	3,526	841
NC-60	60x44x22h	59x43	-	-	41.5	0.08	8.2	7,052	1,181
NC-80	80x44x22h	79x43	-	-	51	0.1	12.3	10,578	1,474
NC-100	100x44x22h	99x43	-	-	65	0.13	14.9	12,814	1,691
NCEM-60	60x44x22h	59x43	-	-	41.5	0.08	4	-	1,246
NCEM-80	80x44x22h	99x43	-	-	51	0.1	5.3	-	1,541
NCR-60	60x44x22h	59x43	30x43	-	41.5	0.8	8.2	7,052	1,330
NCR-80	80x44x22h	79x43	30x43	-	51	0.1	12.3	10,578	1,606
NCR-100	100x44x22h	99x43	40x43	-	65	0.13	14.9	12,814	1,837
NCF-60	94x44x22h	59x43	-	6	52	0.13	14.2	12,212	1,575

PROFESSIONAL LINE



NSR-60

NSF-60

NOVO-SNACK

Gas (NS) - Electric(NSEM) - Semi-ribbed(NSR) - With burner(NSF)

- Rectified hotplate 12 mm thick - Collector drawer set in the front (Model NS-100/NSR-100: 2 drawers)
- 🔥 Piezoelectric ignition - Safety valves with thermocouple.
- ⚡ Stainless steel heating elements - Thermostats with ignition switch

- Geschliffene Platte, Stärke 12 mm - Fettauffangschublade im Frontbereich (Modell NS-100/NSR-100: 2 Schubladen)
- 🔥 Piezozündung - Sicherheitsthermostatventile mit Thermoelement.
- ⚡ Heizstäbe aus Edelstahl - Thermostate mit Zündschalter

Models	Outside measurements	Useful surface	Ribbed surface	kW Burner	Kg	m ³	Kw	Kcal/h	€
NS-40	40x44x22h	39x43	-	-	23	0.06	4.1	3,526	570
NS-60	60x44x22h	59x43	-	-	33.5	0.08	8.2	7,052	721
NS-80	80x44x22h	79x43	-	-	44	0.1	12.3	10,578	864
NS-100	100x44x22h	99x43	-	-	65	0.13	14.9	12,814	1,084
NSEM-60	60x44x22h	59x43	-	-	33.5	0.08	4	-	828
NSEM-80	80x44x22h	99x43	-	-	44	0.1	5.3	-	1,013
NSR-60	60x44x22h	59x43	30x43	-	33.5	0.08	8.2	7,052	839
NSR-80	80x44x22h	79x43	30x43	-	44	0.1	12.3	10,578	978
NSR-100	100x44x22h	99x43	40x43	-	65	0.13	14.9	12,814	1,211
NSF-60	94x44x22h	59x43	-	6	45.5	0.13	14.2	12,212	1,091

Single-phase
230V

PROFESSIONAL LINE



NOVA-ENAMELLED Gas (NE) - With burner (NEF)

- Cast iron hotplate food-suited glazed enamel - Collector drawer set in the front
- Piezoelectric ignition - Equipped with high-power burner and two heat intensity levels (Model NCF-60)
- 🔥 Safety valves with thermocouple

- Gusseiserne Platte, feuerfest emailliert - Fettauffangschublade im Frontbereich
- Piezozündung - Mit leistungsstarker Kochstelle und zwei Hitzestufen (Modell NCF-60)
- 🔥 Sicherheitsventile mit Thermoelement



Water resistant

Wasserabweisend



Scratch resistant

Abriebfest



Corrosion resistant

Korrosionsbeständig



Fire resistant

Feuerbeständig



Hygienic finish

Hygienebeschichtung



Long-lasting colour

Farbecht



Graffiti resistant

Graffitibeständig

Models	Outside measurements	Useful surface	kW Burner	Kg	m ³	Kw	Kcal/h	€
NE-40	40x45x23h	38x43.5	-	17.5	0.06	4.1	3,526	524
NE-60	60x45x23h	58x43.5	-	25	0.08	8.2	7,052	752
NE-80	80x45x23h	78x43.5	-	39	0,1	12.3	10,578	958
NEF-60	94x45x23h	58x43.5	6	37	0.13	14.2	12,212	1.142

SANDWICH-MAKER LINE



SANDWICH-MAKER Novo-Crom + Grill - Novo-Snack + Grill

- Hard chrome hotplate 15 mm thick (NC) - Rectified hotplate 12 mm thick (NS) - Collector drawer set in the front (Model NC-100/NS-100: 2 drawers) - 18/8 stainless steel grille and 18/8 stainless steel hotplate 4 mm thick.
 🔥 Safety valves with thermocouple.

- Platte aus Hartchrom, Stärke 15 mm (NC) - Geschliffene Platte, Stärke 12 mm (NS) - Fettauffangschublade im Frontbereich (Modell NC-100/NS-100: 2 Schubladen) - Grill aus 18/8 Edelstahl mit Heizplatte aus 18/8 Edelstahl, Stärke 4 mm.

🔥 Sicherheitsventile mit Thermoelement

Models	Outside measurements	Useful surface	Kg	m ³	Kw	Kcal/h	Grille power rating	€
NC-60+SW-35	60x53x26h	59x43	49.5	0.14	8.2	7.000	1,000 W	1,792
NC-80+SW-35	80x53x26h	79x43	59	0.26	12.3	10.584	1,000 W	2,085
NC-100+SW-35	100x53x26h	99x43	73	0.32	14.9	12.814	1,000 W	2,302
NS-60+SW-35	60x53x26h	59x43	41.5	0.14	8.2	7.000	1,000 W	1,332
NS-80+SW-35	80x53x26h	79x43	52	0.26	12.3	10.584	1,000 W	1,475
NS-100+SW-35	100x53x26h	99x43	73	0.32	14.9	12.814	1,000 W	1,694
SW-35	41,5x53x17h	35x35	10	0.1	-	-	1,000 W	611

Single-phase
230 V

ACCESSORIES

All the accessories are adapted to the different professional griddle series.

Alle Zubehörteile sind für verschiedene professionelle Bratplatten geeignet.



COB-60



C-1



E-1



PAC-1

Description	Reference	€
Spatula	E-1	11
Hard chrome scraper	C-1	38
Tongs	PZ-1	11
Burner reduction grate	Z-5330009200	11
Degreasing agent 12 units	PAC-12	202
Degreasing agent 6 units	PAC-6	107
Degreasing agent 1 unit	PAC-1	27
Griddle cover	COB-60	39
Griddle cover	COB-80	45
Griddle cover	COB-100	58
Griddle tilting cover (NC - NE - NS)	TB-40	172
Griddle tilting cover (NC - NE - NS)	TB-60	191
Griddle tilting cover (NC - NE - NS)	TB-80	207
Shelf (NC - NE - NS)	EST-2	93
Cart bottle rack CNE-80	SB-1	120
Griddle cart (NC - NE - NS)S	CNE-80	755
Complete griddle cart (NC - NE - NS)	K-CC-NE80	968



Z-5330009200



PZ-1

LOW-COST LINE



ECO-60 CD+ SW-35



ECOEM-75 CD

SERIES

Hard Chrome Gas (ECO-CD) - Hard Chrome Electric (ECOEM-CD) - With Grill (ECO-CD+SW-35)

- Hard chrome plate of over 60 microns and 12 mm thick. - Easily removable front collector.
- 18/8 stainless steel grill with heating plate 4 mm thick.
- 💧 Piezoelectric ignition - Thermostatic valves.
- ⚡ Stainless steel heating elements - Thermostats with ignition switch.

- Platte aus 60 Mikrometer Hartchrom, Stärke 12 mm. - Leicht herausnehmbare Fettauffangschublade vorne.
- Grill aus 18/8 Edelstahl mit Heizplatte, Stärke 4 mm.

- 💧 Piezozündung - Thermostatzündung.
- ⚡ Heizstäbe aus Edelstahl - Thermostate mit Zündschalter.

Models	Outside measurements	Useful surface	Grille power rating	Kg	m ³	Kw	Kcal/h	€
ECO-45CD	46x44x22h	45x39	-	23	0.06	4.1	3,526	716
ECO-60CD	61x44x22h	60x39	-	30.5	0.08	8.2	7,052	929
ECO-75CD	77x44x22h	76x39	-	37.5	0.1	8.7	7,482	1,066
ECO-90CD	91x44x22h	90x39	-	45	0.13	12.7	10,922	1,214
ECOEM-60CD	60x44x21h	60x39	-	30.5	0.08	4	-	975
ECOEM-75CD	77x44x21h	76x39	-	37.5	0.1	4	-	1.074
ECO-45CD+SW-35	46x53x26h	45x39	1,000 W	31	0.14	4.1	3,526	1,327
ECO-60CD+SW-35	61x53x26h	60x39	1,000 W	38.5	0.14	8.2	7,052	1,540
ECO-75CD+SW-35	77x55x26h	76x39	1,000 W	44.5	0.26	8.7	7,482	1,677
ECO-90CD+SW-35	91x53x26h	90x39	1,000 W	53	0.26	12.7	10,922	1,825
SW-35	41.5x53x26h	35x35	1,000 W	10	0.1	-	-	611

Single-phase
230 VSingle-phase
230 V

LOW-COST LINE



ECO-90ES

ECO-45ES

SERIES
Enamelled Gas

- 6 mm laminated steel hotplate with food-suited glazed enamel - Frontal collector for easy removal
 🔥 Piezoelectric ignition - Safety valves with thermocouple.

- Platte aus 6 mm dickem Walzstahl, feuerfest emailliert - Leicht herausnehmbarer Fettaufang vorne
 🔥 Piezozündung - Sicherheitsthermostatventile mit Thermoelement.



Water resistant

Wasserabweisend



Scratch resistant

Abriebfest



Corrosion resistant

Korrosionsbeständig



Fire resistant

Feuerbeständig



Hygienic finish

Hygienebeschichtung



Long-lasting colour

Farbecht



Graffiti resistant

Graffitibeständig

Models	Outside measurements	Useful surface	Kg	m ²	Kw	Kcal/h	€
ECO-45ES	46x44x23h	44x39	16.5	0.06	4.1	3,526	448
ECO-60ES	61x44x23h	59x39	22	0.08	8.2	7,052	552
ECO-75ES	77x44x23h	75x39	27	0.1	8.7	7,482	589
ECO-90ES	91x44x23h	89x39	32	0.13	12.7	10,922	719

LOW-COST LINE



ECOEM-60PV

ECO-90 PV

SERIES

Gas (ECO-PV)- Electric (ECOEM-PV) - With Grill (ECO-PV+SW-35)

- 6mm laminated steel hotplate - Frontal collector for easy removal
- 18/8 stainless steel grill with heating plate 4 mm thick.
- 🔥 Piezoelectric ignition - Safety valves with thermocouple.
- ⚡ Stainless steel heating elements - Thermostats with ignition switch.

- Platte aus 6 mm dickem Walzstahl - Leicht herausnehmbarer Fettauffang vorne.
- Grill aus 18/8 Edelstahl mit Heizplatte, Stärke 4 mm.

- 🔥 Piezozündung - Sicherheitsthermostatventile mit Thermoelement.
- ⚡ Heizstäbe aus Edelstahl - Thermostate mit Zündschalter.

Single-phase
230 VSingle-phase
230 V

Models	Outside measurements	Useful surface	Grille power rating	Kg	m ³	Kw	Kcal/h	€
ECO-45PV	46x44x21h	44x39	-	16,5	0.06	4.1	3,526	385
ECO-60PV	60x44x21h	59x39	-	22	0.08	8.2	7,052	487
ECO-75PV	77x44x21h	75x39	-	27	0.1	8.7	7,482	511
ECO-90PV	90x44x21h	89x39	-	32	0.13	12.7	10,922	637
ECOEM-60PV	60x44x21h	59x39	-	22	0.08	4	-	576
ECOEM-75PV	77x44x21h	75x39	-	27	0.1	4	-	613
ECO-45PV+SW-35	46x53x26h	44x39	1,000 W	24,5	0.14	4.1	3,526	996
ECO-60PV+SW-35	60x53x26h	59x39	1,000 W	30	0.14	8.2	7,052	1,098
ECO-75PV+SW-35	77x53x26h	75x39	1,000 W	35	0.26	8.7	7,482	1,122
ECO-90PV+SW-35	90x53x26h	89x39	1,000 W	40	0.26	12.7	10,922	1,247
SW-35	41.5x53x17h	35x35	1,000 W	10	0.1	-	-	611

ACCESSORIES

All the fittings are adapted to the different low-cost griddle series.

Alle Zubehörteile sind für verschiedene wirtschaftliche Bratplatten geeignet.



Complete cart
X-75
Kompletter Wagen
X-75

TEB-75
Tilting cover
TEB-75
Schwenkdeckel

EST-3
Shelf
EST-3
Einlegeboden



COB-60



C-1



E-1



PAC-1



PZ-1

Description	Reference	€
Spatula	E-1	11
Hard chrome scraper	C-1	38
Tongs	PZ-1	11
Degreasing agent 12 units	PAC-12	202
Degreasing agent 6 units	PAC-6	107
Degreasing agent 1 unit	PAC-1	27
Griddle cover	COB-60	39
Griddle cover	COB-80	45
Griddle cover	COB-100	58
Griddles tilting cover	TEB-45	115
Griddles tilting cover	TEB-60	127
Griddles tilting cover	TEB-75	143
Griddles tilting cover	TEB-90	157
Griddles shelf	EST-3	42
ECO griddles scissor cart	X-45	217
ECO griddles scissor cart	X-60	217
ECO griddles scissor cart	X-75	217
ECO griddles scissor cart	X-90	217